Annexure - III

PRICE BID -- Envelope No. 2

Name o	of Company:								Rs.
Sr.No.	Name of the	Specification	Model		Price	Of each N	lo.	Total	Total
	item		Offered By Vendor			Rs.		Quantity Required	Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Compact, lightweight Class D 2-way						18 Nos.	
		active loudspeaker							
		10" extended range low frequency driver							
		 1" compression driver with 1" exit 200 watts of output power Mic/Line input with Volume control and Clip LED Additional Line output allows linking of multiple speakers 3/8" pole mount receptacle Floor monitor positioning options Onsite Warranty: Minimum One Year 							

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
	LED TV 55'' make VU or equivalent	Image Display ranet Orace AT Orace Actionate Backlight source [-]Direct LED Resolution [Pixels] 1920 x 1080 Brightness [nit]450 Dynamic contrast ratio–1000000:1 Panel Refresh Rate[Hz]60 Viewing Angle (Horiz /						9 Nos.	
		Vert)[Degrees]178 / 178 Response Time[ms]5.5 ms Connectivity HDMI Input–2							

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Radio frequency input (RF)–1 Component / Y Pb(Cb) Pr (Cr) (share with AV Input)–1 Audio L/R for component input (share with AV Input)–1 Av input (share with Component Land) 1 USB interface (Video, Audio, Images)–1 VGA Input–1 Audio L/R for VGA input (share with L/R Audio Input for Component)–1 AV Out–1 Digital audio output–1 Earphone jack–Yes							
		Sound							

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3 Audio power output per channel[Watt]10	4	5	6	7	8	9	10
		+ 10 Automatic volume level (AVL)–Yes							
		Audio equalizer–Yes							
		Power							
		Input Power [AC] 100V ~ 240V AC 50/60Hz							
		Power Consumption [Watt] 100							
		Stand By Power [Watt] 0.5							
		VESA wall mount dimensions (Horiz /							
		Vert) [mm] 400 X 400							
		Onsite Warranty: Minimum Three Years							
3	PTZ Camera	Compatible to System requirements						9 Nos.	
		Windows® 7, Windows 8.1 or 10							
	make	macOS 10.10 or higher							

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.		Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		TECHNICAL SPECIFICATIONS CAMERA: Smooth motorized pan, tilt and zoom 260° pan 130° tilt 10x HD zoom 90° field of view Full HD 1080p 30fps H.264 UVC 1.5 with Scalable Video Coding (SVC) Autofocus 3 camera presets plus home position button							

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.		Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Kensington security slot Video mute/unmute LED indicator Standard tripod thread REMOTE CONTROL: IR 8.5 m range CR2032 battery (included) MOUNT Dual-purpose bracket works for both wall mounting and tabletop elevation COMPATIBILITY AND INTEGRATIONS Plug-and-play USB connectivity							

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.		Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Far-end control of other Conference Cams (with supported services) Works with video conferencing application or meetings service, AVIEW or equivalent / Skype for Business certified Cisco Jabber® and WebEx compatible							
4	Cordloss Duct	Minimum Three Years						0 Noc	
	Mike (2 Hand Mikes) Make Mipro or	Frequency Range: UHF 480~934 MHz(Country Dependent) Receiving Mode : Diversity Receiving Antenna : Rear Panel, Detachable						9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Oscillation Mode : PLL Synthesized Stability : $\pm 0.005\%$ (-10 ~ +60) Sensitivity : 10 dB μ V at S/N > 80 dB S/N Ratio : > 106 dB(A) Squelch : "PiloTone & NoiseLock" dual- squelch circuit Max. Output Level : 3-level Switch: +10 dB / 0 dB / -6 dB Power Supply : 12 ~ 15V DC, 1A Onsite Warrenty Minimum: One Year							
	with mouse	Processor: Core i5-7400T 4/4 2.4G/3.0G 6Mb Cache Ram: DDR4-2400 8GB						9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
	reputed	HDD: SSD Sata 6.0Gb/s 2.5", 7200 rpm,							
	International	500GB							
	brands only	Front Ports:							
		Two USB 3.1 Gen1							
		One Microphone (3.5mm)							
		One Headphone (3.5mm)							
		Rear Ports:							
		Four USB 3.1 Gen1,							
		ethernet (RJ-45), two DisplayPort VGA & HDMI,							
		two optional ports (port 1 3rd DP / USB							
		3.1 Type-C Gen 1 (with DisplayPort							
		Alternate Mode), Port 2 for serial							
		Keyborad & Mouse Keyboard (USB connector)							

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.		Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
		Mouse (USB connector) with mouse pad Mechanical: 7.05" X 7.20" X 1.36" 179mm X 182.9mm X1.36" Approx Weight 2.91 lb (1.32 kg) vary by config Preloaded Windows 7 Prof 32/64 bit preinstalled through downgrade rights in							
		windows 10 pro 64 bit Antivirus: Quickheal Total Protection OpenOffice latest version, Adobe reader, VLC Player, Flash Player, Browsers: Chrome and Mozilla, 7zip, CCleaner, Java JDK and Runtime							

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Onsite Warranty and software license: Minimum Three years							
6	System, make Emerson or							9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3 INPUT PARAMETERS	4	5	6	7	8	9	10
		Input: single phase 230 V rms, 170V to 290 V at 100% load Frequency Range: 40 to 70 Hz PF: >0.99 BATTERY CHARGER: Nominal Voltage Float(LB): 27.3 V Maximum Charging Current: 1 Amp BATTERY: Type: SMF No of Battery Blocks: 12V/9AH (2 blocks) PRODUCT SIZE:							

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)	
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3 380x438x88 mm (2U) Weight: around 9 kg Communication Port: USB. RS232 with monitoring software (SNMP, UPSlion2000, View power 2.0) Onsite warranty: MinimumThree Years	4	5	6	7	8	9	10
7	Cables connectors, Extension Board, Installation	XLR to XLR moulded cable 2 nos 10 meters Aux cable(3.5 mm to Jack) One No 10 meters Moulded Power cable minimum 5 meters for speakers- 02 nos.						9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)	
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Complete installation work of hardware and software to demonstrate working of Virtual Classroom programs using specifed selected software (AVIEW or equivalent)							
	reputed make only	19-inch equipment racks with rack mounted spike buster of 6/8 electric points of 230V/5 Amp with switch and light/LED indicator and MCB, 21" rack space Heavy-duty steel construction with fully enclosed sides 3-inch (75mm) locking casters (heavy duty)						9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)	
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3 18.11"x39.37"x43.31"x19.96"	4	5	6	7	8	9	10
		 (D x H x H with Casters x W) With front transparent glass door with lock, Locks securely to help prevent damage, tampering or theft Ventilated back panel and side panels to allow generous airflow Arrangement for securing following equipment as per the industry standard, 19.96" width size rack mounted fixtures for following items quoted in tender: Tiny Desktop 							

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)	
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3 1 KVA UPS One rack tray (sliding) for keyboard and mouse One Spare rack tray appropriately mounted for storing wireless unit of mikes and spares/camera		5	6	7	8	9	10
		Grand Total (in figures) Grand Total (in words)							