## Annexure - III

## **PRICE BID** -- Envelope No. 2

Name of Company:

Sr.No.	Name of the	Specification	Model		Price	Of each N	lo.	Total	Total
	item		Offered By Vendor			Rs.		Quantity Required	Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
1	Powered	Compact, lightweight Class D 2-way						18 Nos.	
		active loudspeaker							
		10" extended range low frequency driver							
	or equivalent	1" compression driver with 1" exit 200 watts of output power Mic/Line input with Volume control and Clip LED Additional Line output allows linking of multiple speakers 3/8" pole mount receptacle Floor monitor positioning options Onsite Warranty: Minimum One Year							

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.		Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
	LED TV 55"	Image Display						9 Nos.	
	equivalent	Image Display Fanci Graue—AT Graue Achiomanc Backlight source [-]Direct LED Resolution [Pixels] 1920 x 1080						<i>J</i> 1403.	
		Brightness [nit]450							
		Dynamic contrast ratio–1000000:1 Panel Refresh Rate[Hz]60							
		Viewing Angle (Horiz / Vert)[Degrees]178 / 178							
		Response Time[ms]5.5 ms  Connectivity							
		HDMI Input–2							

Sr.No.	Name of the	Specification	Model		Price	Of each N	lo.	Total	Total
	item		Offered By Vendor			Rs.		Quantity Required	Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Radio frequency input (RF)–1 Component / Y Pb(Cb) Pr (Cr) (share with AV Input)–1 Audio L/R for component input (share with AV Input)–1 Av input (share with Component USB interface (Video, Audio, Images)–1 VGA Input–1 Audio L/R for VGA input (share with L/R Audio Input for Component)–1 AV Out–1 Digital audio output–1 Earphone jack–Yes  Sound							

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
3		Audio power output per channel[Watt]10 + 10 Automatic volume level (AVL)—Yes Audio equalizer—Yes Power Input Power [AC] 100V ~ 240V AC 50/60Hz Power Consumption [Watt] 100 Stand By Power [Watt] 0.5 VESA wall mount dimensions (Horiz / Vert) [ mm] 400 X 400 Onsite Warranty: Minimum Three Years Compatible to System requirements						9 Nos.	
	with Remote,	Compatible to System requirements Windows® 7, Windows 8.1 or 10 macOS 10.10 or higher						9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		TECHNICAL SPECIFICATIONS  CAMERA: Smooth motorized pan, tilt and zoom 260° pan 130° tilt 10x HD zoom 90° field of view Full HD 1080p 30fps H.264 UVC 1.5 with Scalable Video Coding (SVC) Autofocus 3 camera presets plus home position button							

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.		Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3 Kensington security slot	4	5	6	7	8	9	10
		Video mute/unmute LED indicator Standard tripod thread  REMOTE CONTROL: IR 8.5 m range CR2032 battery (included)  MOUNT Dual-purpose bracket works for both wall mounting and tabletop elevation  COMPATIBILITY AND INTEGRATIONS Plug-and-play USB connectivity							

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.		Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1		Far-end control of other Conference Cams (with supported services) Works with video conferencing application or meetings service, AVIEW or equivalent / Skype for Business certified Cisco Jabber® and WebEx compatible  Onsite Warranty:		5	6	7	8	9	10
4	Cordless Duet Mike (2 Hand Mikes) Make Mipro or	Minimum Three Years  Frequency Range: UHF 480~934  MHz(Country Dependent)  Receiving Mode: Diversity  Receiving Antenna: Rear Panel,  Detachable						9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Oscillation Mode: PLL Synthesized Stability: $\pm 0.005\%$ (-10 ~ +60 )  Sensitivity: 10 dB $\mu$ V at S/N > 80 dB S/N Ratio: > 106 dB(A) Squelch: "PiloTone & NoiseLock" dual-squelch circuit Max. Output Level: 3-level Switch: +10 dB / 0 dB / -6 dB Power Supply: 12 ~ 15V DC, 1A Onsite Warrenty Minimum: One Year							
5	with mouse	<b>Processor:</b> Core i5-7400T 4/4 2.4G/3.0G 6Mb Cache <b>Ram:</b> DDR4-2400 8GB						9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.		Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
	reputed International brands only	HDD: SSD Sata 6.0Gb/s 2.5", 7200 rpm, 500GB Front Ports: Two USB 3.1 Gen1 One Microphone (3.5mm) One Headphone (3.5mm) Rear Ports: Four USB 3.1 Gen1, ethernet (RJ-45), two DisplayPort VGA & HDMI, two optional ports (port 1 3rd DP / USB 3.1 Type-C Gen 1 (with DisplayPort Alternate Mode), Port 2 for serial  Keyborad & Mouse							
		Keyborad & Mouse Keyboard (USB connector)							

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	Mouse (USB connector) with mouse pad Mechanical: 7.05" X 7.20" X 1.36" 179mm X 182.9mm X1.36" Approx Weight 2.91 lb ( 1.32 kg ) vary by config  Preloaded Windows 7 Prof 32/64 bit preinstalled through downgrade rights in windows 10 pro 64 bit Antivirus: Quickheal Total Protection OpenOffice latest version, Adobe reader, VLC Player, Flash Player, Browsers: Chrome and Mozilla, 7zip, CCleaner, Java JDK and Runtime		5	6	7	8	9	10

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Onsite Warranty and software license: Minimum Three years							
6	Backup UPS System, make Emerson or equivalent	True Online double-conversion Rack Mount UPS with 1 KVA Capacity with LCD display  OUTPUT PARAMETERS Output Power Factor 0.8 Waveform: Pure Sine Wave Nominal Voltage: 230V Frequency: 50 Hz Crest Factor: 3:01 AC-AC Efficiency: 88% Transfer Time Inverter bypass: 4ms						9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	lo.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3 INPUT PARAMETERS	4	5	6	7	8	9	10
		Input: single phase 230 V rms, 170V to 290 V at 100% load							
		Frequency Range: 40 to 70 Hz PF: >0.99							
		BATTERY CHARGER:							
		Nominal Voltage Float(LB): 27.3 V Maximum Charging Current: 1 Amp							
		BATTERY:							
		Type: SMF No of Battery Blocks: 12V/9AH (2 blocks)							
		PRODUCT SIZE:							

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)	
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		380x438x88 mm (2U) Weight: around 9 kg Communication Port: USB. RS232 with monitoring software (SNMP, UPSlion2000, View power 2.0)  Onsite warranty: MinimumThree Years							
7	Cables connectors, Extension Board, Installation	XLR to XLR moulded cable 2 nos 10 meters Aux cable(3.5 mm to Jack) One No 10 meters Moulded Power cable minimum 5 meters for speakers- 02 nos.						9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)	
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3	4	5	6	7	8	9	10
		Complete installation work of hardware and software to demonstrate working of Virtual Classroom programs using specifed selected software (AVIEW or equivalent)							
8	reputed make only	19-inch equipment racks with rack mounted spike buster of 6/8 electric points of 230V/5 Amp with switch and light/LED indicator and MCB, 21" rack space Heavy-duty steel construction with fully enclosed sides 3-inch (75mm) locking casters (heavy duty)						9 Nos.	

Sr.No.	Name of the item	Specification	Model Offered By Vendor			Of each N Rs.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)	
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1	2	3 18.11"x39.37"x43.31"x19.96"	4	5	6	7	8	9	10
		(D x H x H with Casters x W)  With front transparent glass door with lock, Locks securely to help prevent damage, tampering or theft  Ventilated back panel and side panels to allow generous airflow  Arrangement for securing following equipment as per the industry standard, 19.96" width size rack mounted fixtures for following items quoted in tender: Tiny Desktop							

Sr.No.	Name of the item	Specification	Model Offered By Vendor		Price	Of each N Rs.	Total Quantity Required	Total Amount For total quantities per cl.9 (7x 9)	
				Rate Rs. inclusive of levies and duties	GST	Total Rs	In Words		
1		3 1 KVA UPS One rack tray (sliding) for keyboard and mouse One Spare rack tray appropriately mounted for storing wireless unit of mikes and spares/camera Grand Total (in figures)		5	6	7	8	9	10